

12/10/02

L Number	Hits	Search Text	DB	Time stamp
-	472	345/102.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/25 07:28
-	0	345/102.ccls. SAME LEDS SAME COLOR SAME INTENSITY SAME (COLOR OR COLOUR)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 09:01
-	15	(BACK-LIGHT OR BACK ADJ1 LIGHT OR BACKLIGHT) SAME LEDS SAME COLOR SAME INTENSITY SAME (COLOR OR COLOUR)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 10:09
-	2	6115016.URPN.	USPAT	2002/07/22 09:24
-	2	6115016.URPN.	USPAT	2002/07/22 09:28
-	7	("4892391" "4907862" "4924215" "5122791" "5724062" "5767837" "5796378").PN.	USPAT	2002/07/22 09:28
-	2	5977742.PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 10:06
-	2	5977942.PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 10:08
-	35246	PORTABLE ADJ1 TELEPHONE	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 10:08
-	1244	(BACK-LIGHT OR BACK ADJ1 LIGHT OR BACKLIGHT) SAME LEDS	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 10:16
-	249	((BACK-LIGHT OR BACK ADJ1 LIGHT OR BACKLIGHT) SAME LEDS) SAME (COLOR OR COLOUR)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 10:17
-	16	((((BACK-LIGHT OR BACK ADJ1 LIGHT OR BACKLIGHT) SAME LEDS) SAME (COLOR OR COLOUR)) SAME (CURRENT OR VOLTAGE) SAME CONTROLS\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 11:41
-	16	(((((BACK-LIGHT OR BACK ADJ1 LIGHT OR BACKLIGHT) SAME LEDS) SAME (COLOR OR COLOUR)) SAME (CURRENT OR VOLTAGE) SAME CONTROLS\$) SAME (CURRENT OR VOLTAGE)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 12:41
-	5285	(brightnesss or intensity) near2 (remain\$3 or maintain\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/23 08:42

-	7	((BACK-LIGHT OR BACK ADJ1 LIGHT OR BACKLIGHT) SAME LEDS) AND ((brightnesss or intensity) near2 (remain\$3 or maintain\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 12:44
-	425268	brightnesss or intensity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 13:10
-	2484	(brightnesss or intensity) SAME DUTY	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 13:12
-	1325	((brightnesss or intensity) SAME DUTY) AND (SWITCH\$2 OR FET OR (FIELD ADJ1 EFFECT ADJ1 TRANSISTOR))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 13:21
-	140	((((brightnesss or intensity) SAME DUTY) AND (SWITCH\$2 OR FET OR (FIELD ADJ1 EFFECT ADJ1 TRANSISTOR))) AND PWM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 13:25
-	104	(((((brightnesss or intensity) SAME DUTY) AND (SWITCH\$2 OR FET OR (FIELD ADJ1 EFFECT ADJ1 TRANSISTOR))) AND PWM) AND (RESISTANCE OR RESISTOR)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 14:11
-	3	4278917.PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 15:29
-	15	((("6150774") or ("5420482") or ("4845481") or ("5184114") or ("5134387") or ("6016038"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 15:29
-	1	6377236.PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 15:58
-	5	("5406305" "5706061" "5717422" "6115016" "6252636").PN.	USPAT	2002/07/22 15:51
-	2	6115016.URPN.	USPAT	2002/07/22 15:53
-	137	(HEWLETT ADJ1 PACKARD) AND LEDS AND (CONSTANT ADJ1 CURRENT)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 16:01
-	32	((HEWLETT ADJ1 PACKARD) AND LEDS AND (CONSTANT ADJ1 CURRENT)) AND COLOR	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 16:01
-	7867	345/102,52,82-84,87-90,98,211-214,204,690,694,696.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/10 10:15

-	302221	LEDS	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/23 08:41
-	68561	(brightness or intensity) SAME (remain\$3 or maintain\$3 OR CONSTANT)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/23 09:43
-	4846	LEDS SAME (CURRENT OR VOLTAGE) SAME CONSTANT	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/23 08:44
-	815	((brightness or intensity) SAME (remain\$3 or maintain\$3 OR CONSTANT)) AND (LEDS SAME (CURRENT OR VOLTAGE) SAME CONSTANT)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/23 08:44
-	256	((((brightness or intensity) SAME (remain\$3 or maintain\$3 OR CONSTANT)) AND (LEDS SAME (CURRENT OR VOLTAGE) SAME CONSTANT)) AND (COLOR OR COLOUR)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/23 08:45
-	194	(((((brightness or intensity) SAME (remain\$3 or maintain\$3 OR CONSTANT)) AND (LEDS SAME (CURRENT OR VOLTAGE) SAME CONSTANT)) AND (COLOR OR COLOUR)) AND CONTROL\$ AND POWER	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/23 08:56
-	12273	(brightness or intensity) NEAR2 (remain\$3 or maintain\$3 OR CONSTANT)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/23 10:07
-	3	5886474.PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/23 10:17
-	8	5886474.URPN.	USPAT	2002/07/23 10:14
-	119937	BRIGHTNESS	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/23 10:18
-	1705	BRIGHTNESS NEAR2 CONSTANT	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/23 10:18
-	43	(BRIGHTNESS NEAR2 CONSTANT) NEAR2 CURRENT	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/23 10:19
-	11	LEDS AND ((BRIGHTNESS NEAR2 CONSTANT) NEAR2 CURRENT)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/23 12:57
-	0	6028597.URPN.	USPAT	2002/07/23 12:35
-	0	6028597.URPN.	USPAT	2002/07/23 12:35

-	26	("3651511" "4484104" "4514727" "4668120" "4682147" "4691118" "4736186" "4841278" "4963811" "4988889" "5012160" "5027258" "5138534" "5152601" "5175528" "5211470" "5214352" "5237490" "5252893" "5309656" "5313187" "5313188" "5365145" "5367442" "5453729" "5457450").PN.	USPAT	2002/07/23 12:35
-	58	345/211.ccls. and LEDS	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/23 13:17
-	6	((brightness or intensity) SAME (remain\$3 or maintain\$3 OR CONSTANT)) AND (345/211.ccls. and LEDS)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/23 13:03
-	58	345/211.ccls. and LEDS	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/23 13:25
-	815	((brightness or intensity) SAME (remain\$3 or maintain\$3 OR CONSTANT)) AND (LEDS SAME (CURRENT OR VOLTAGE) SAME CONSTANT)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/23 13:26
-	32	((((brightness or intensity) SAME (remain\$3 or maintain\$3 OR CONSTANT)) AND (LEDS SAME (CURRENT OR VOLTAGE) SAME CONSTANT)) AND PWM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/23 13:44
-	1	6424339.PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/23 15:37
-	0	6313816.URPN.	USPAT	2002/07/23 15:35
-	4	("5384601" "5446504" "5764216" "5949496").PN.	USPAT	2002/07/23 15:35
-	1434	315/291.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/10 10:17
-	14	LEDS and (((brightness or intensity) SAME (remain\$3 or maintain\$3 OR CONSTANT)) AND (LEDS SAME (CURRENT OR VOLTAGE) SAME CONSTANT)) and 315/291.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/23 15:38
-	3	5907569.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/24 13:16
-	2	("6115016").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/24 16:19
-	435	349/70,71,77.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/10 10:17

-	194237	(current or voltage) near2 (constant or maintain\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/25 07:32
-	2751	455/574,566,575,572.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/10 10:17
-	13899	(intensity or brightness) near2 (constant or maintain\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/25 07:35
-	3186	349/70,71,77.ccls. or 455/574,566,575,572.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/25 07:35
-	498707	emitter or LEDs	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/25 07:36
-	450	(349/70,71,77.ccls. or 455/574,566,575,572.ccls.) and (emitter or LEDs)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/25 07:36
-	65	((349/70,71,77.ccls. or 455/574,566,575,572.ccls.) and (emitter or LEDs)) and ((back adj1 light) or backlight or back-light)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/25 07:38
-	9015	345/102,52,76,77,82-84,87-90,98,211-214,204,690,694,696.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/10 10:16
-	1554	315/291.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/10 10:17
-	446	349/70,71,77.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/10 10:17
-	3074	455/574,566,575,572.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/10 10:17
-	14028	345/102,52,76,77,82-84,87-90,98,211-214,204,690,694,696.ccls. or 315/291.ccls. or 349/70,71,77.ccls. or 455/574,566,575,572.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/10 10:18

-	737973	light adj1 (emitter or (emitting adj1 diode)) or led or light-emitting-diode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/10 10:29
-	75911	(light adj1 (emitter or (emitting adj1 diode)) or led or light-emitting-diode) and (color or colour)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/10 10:33
-	306388	constant same (current or power)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/10 10:36
-	372	(345/102,52,76,77,82-84,87-90,98,211-214,204,690,694,696.ccls. or 315/291.ccls. or 349/70,71,77.ccls. or 455/574,566,575,572.ccls.) and ((light adj1 (emitter or (emitting adj1 diode)) or led or light-emitting-diode) and (color or colour)) and (constant same (current or power))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/10 10:36
-	277	((345/102,52,76,77,82-84,87-90,98,211-214,204,690,694,696.ccls. or 315/291.ccls. or 349/70,71,77.ccls. or 455/574,566,575,572.ccls.) and ((light adj1 (emitter or (emitting adj1 diode)) or led or light-emitting-diode) and (color or colour)) and (constant same (current or power))) and (resistor or PWM or converter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/10 10:38
-	219	((345/102,52,76,77,82-84,87-90,98,211-214,204,690,694,696.ccls. or 315/291.ccls. or 349/70,71,77.ccls. or 455/574,566,575,572.ccls.) and ((light adj1 (emitter or (emitting adj1 diode)) or led or light-emitting-diode) and (color or colour)) and (constant same (current or power))) and (resistor or PWM or converter)) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/10 10:38